BAD DWEL WASTE WATER TREATMENT Plant

Form Approved 1/14/99 00 OMB Number 2040-0086

FORM 2A

# NPDES FORM 2A APPLICATION OVERVIEW

**NPDES** 

#### APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

#### BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

#### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

MAR 3 1 2000 (U)
NPDES PROGRAMS BRANCH
EPA, Region 5

FACILITY NAME AND PERMIT NUMBER: 4II-0036587-2	Form Approved 1/14/99
BAD RIVER WASTE WOLFE Treatment	OMB Number 2040-0086

# BASIC APPLICATION INFORMATION

PAF	TA BASIC APPLI	CATION INFORMATION FOR ALL APPLICANTS:
All ti	eatment works must	complete questions A.1 through A.8 of this Basic Application Information packet.
A.1.	Facility Information.	
	Facility name	BAD RUGE WASTE WATER TREATMENT Plant
	Mailing Address	PO 39 Oddnok Wi 54861
	Contact person	Paul Gordans
	Title	MANAGER.
	Telephone number	715-682-7156
	Facility Address (not P.O. Box)	54173 - Brech Street
A.2.	Applicant Information	on. If the applicant is different from the above, provide the following:
	Applicant name	BAD RIVER BAND OF Lake Superior Chapeun indians
	Mailing Address	PO B. x 39 Odanah Wi 54861
	Contact person	Eugene Bisboy
	Title	Tribel Chairman
	Telephone number	715 682 7111
	Is the applicant the	owner or operator (or both) of the treatment works?
		espondence regarding this permit should be directed to the facility or the applicant.
	X facility	X applicant
A.3.	Existing Environment works (include state-include state-in	ntal Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment ssued permits).
	NPDES 111	0036587-2 PSD 1
	UIC .	Other
	RCRA	Other
A.4.	Collection System In each entity and, if known etc.).	of formation. Provide information on municipalities and areas served by the facility. Provide the name and population of the type of collection system (combined vs. separate) and its ownership (municipal, private, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, privat
	Name	Population Served Type of Collection System Ownership
	NEW OdAND	h 2,362 Gravity Ead River tribe
	Franks F Aspen Aci	reld 108 Smalldier EFFLUENT Bad RIVER fribe
	Total popu	ulation served 2,470

FACILITY NAME AND PERMIT NUMBER: 67-2 Form Approved 1/14/99 OMB Number 2040-0086 BADRWEC WASTE WHIER Treatment Plant A.5. Indian Country. a. Is the treatment works located in Indian Country? b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country? No A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal. a. Design flow rate /40,000 mgd Two Years Ago Last Year This Year b. Annual average daily flow rate c. Maximum daily flow rate A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each. Separate sanitary sewer Combined storm and sanitary sewer A.8. Discharges and Other Disposal Methods. a. Does the treatment works discharge effluent to waters of the U.S.? If yes, list how many of each of the following types of discharge points the treatment works uses: i. Discharges of treated effluent ii. Discharges of untreated or partially treated effluent iii. Combined sewer overflow points iv. Constructed emergency overflows (prior to the headworks) b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.? If yes, provide the following for each surface impoundment: Annual average daily volume discharged to surface impoundment(s) continuous or c. Does the treatment works land-apply treated wastewater? If yes, provide the following for each land application site: Location: Number of acres: Annual average daily volume applied to site: continuous or \_\_\_\_ intermittent? is land application Does the treatment works discharge or transport treated or untreated wastewater to another treatment works? Yes

# BAD KIUFE WASTE WATER TREATMENT Plant If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe). If transport is by a party other than the applicant, provide: Transporter name: Mailing Address: Contact person: Title: Telephone number: For each treatment works that receives this discharge, provide the following: Name: Mailing Address: Contact person: Title: Telephone number: If known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility. mgd Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)? If yes, provide the following for each disposal method: Description of method (including location and size of site(s) if applicable): Annual daily volume disposed of by this method:

continuous or

intermittent?

Is disposal through this method

BAP RIVER WASTE WATER Treatment Plant

#### **WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

9. De	escription of Outfall.				
a.	Outfall number				
b.	Location	_ Odanah	·····	5	4861
		(City or town, if applicable)			Zip Code)
		(County) 46°-30	) //	(5	State)
		(Latitude)		(!	Longitude)
c.	Distance from shore (	if applicable)		ft.	
d.	Depth below surface (	(if applicable)	· <u>20</u>	ft.	
e.	Average daily flow rat	e	45,000	mgd	
					\$ · · · · · ·
f.	Does this outfall have periodic discharge?	either an intermittent or a		l o	
	•		Yes	X	No (go to A.9.g.)
	If yes, provide the follo	owing information:			
	Number of times per	year discharge occurs:	WEYER, ON A S. W.		
	Average duration of e	ach discharge:			
	Average flow per disc	harge:			mgd
	Months in which disch	narge occurs:			MOTRACTION .
g.	ls outfall equipped wit	h a diffuser?	<u>X</u> Yes		No
10. De	escription of Receiving	g Waters.			
а.			ROER		
b.	Name of watershed (i	f known)			
	United States Soil Co	nservation Service 14-digit wat	farshed code (if known):		,
	Critica Ciales Coll CO	TOOL VALUE TO THE UIGHT WAT	colored code (ii knowit).		No. 6 A
C.	Name of State Manag	pement/River Basin (if known):		Bad Ro	er - Montreal
			ataloging unit code (if kn	own):	04010302
	United States Geolog	ical Survey 8-digit hydrologic c	alatoging and code (ii ian		
. d.			alatogrig time code (ii kiii	· · · · · · · · · · · · · · · · · · ·	
d.		eiving stream (if applicable):	chronic	<u> </u>	
d. e.	Critical low flow of recacute/ \$\sqrt{2} \text{ 4}\$	eiving stream (if applicable):	chronic/	, ,	of CaCO <sub>3</sub>
	Critical low flow of recacute/ \$\sqrt{2} \text{ 4}\$	peiving stream (if applicable):	chronic/	, ,	of CaCO <sub>3</sub>
	Critical low flow of recacute/ \$\sqrt{2} \text{ 4}\$	peiving stream (if applicable):	chronic/	, ,	of CaCO <sub>3</sub>
	Critical low flow of recacute/ \$\sqrt{2} \text{ 4}\$	peiving stream (if applicable):	chronic/	, ,	of CaCO <sub>3</sub>

FACILITY NAME AND PERMIT NUMBER: WIT- 0036 587-2 OMB Number 2040-0086 BAD RIVER WASTE WATER TREATMENT A.11. Description of Treatment. a. What levels of treatment are provided? Check all that apply. Primary Secondary Advanced Other. Describe: b. Indicate the following removal rates (as applicable): Design BOD removal or Design CBOD removal Design SS removal Design P removal Design N removal Other c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe. If disinfection is by chlorination, is dechlorination used for this outfall? d. Does the treatment plant have post aeration? A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and onehalf years apart. Outfall number: **MAXIMUM DAILY VALUE** PARAMETER AVERAGE DAILY VALUE Value Units Value Number of Samples pH (Minimum) s.u. pH (Maximum) s.u. 114 000 Flow Rate Temperature (Winter) Temperature (Summer) For pH please report a minimum and a maximum daily value MAXIMUM DAILY POLLUTANT **AVERAGE DAILY DISCHARGE** ANALYTICAL ML/MDL DISCHARGE? METHOD Units Units Number of Samples CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. BIOCHEMICAL OXYGEN | BOD-5 DEMAND (Report one) CBOD-5 FECAL COLIFORM TOTAL SUSPENDED SOLIDS (TSS) END OF PART A. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

Form Approved 1/14/99

BAD RIVER WASTE WATER THETMENT Plant

# BASIC APPLICATION INFORMATION

PART B.	ADDITIONAL APPLICATION INFORMATION FOR	APPLICANTS WITH A DESIGN FLOW GREATER THAN O	R
	EQUAL TO 0.1 MGD (100,000 gallons per day).		

All ap	licants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).	
B.1.	nflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.	ation.
	gpd	
	Briefly explain any steps underway or planned to minimize inflow and infiltration.	
	Modification of mandales to reduce in Place	
B.2.	Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property bot This map must show the outline of the facility and the following information. (You may submit more than one map if one map does he entire area.)	undaries. not show
	a. The area surrounding the treatment plant, including all unit processes.	
	The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.	ugh which
	c. Each well where wastewater from the treatment plant is injected underground.	
	d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the works, and 2) listed in public record or otherwise known to the applicant.	treatment
	e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.	
	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCR truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, sto and/or disposed.	RA) by ored,
B.3.	rocess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping ackup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection highly and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approxion ow rates between treatment units. Include a brief narrative description of the diagram.	າ (e.g,
B.4.	peration/Maintenance Performed by Contractor(s).	
	re any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsor contractor? Yes X No	sibility of
	yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach ages if necessary).	additional
	lame:	•••
	failing Address:	<u>-</u>
	elephone Number:	
		_
	Responsibilities of Contractor:	_
B.5.	Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedules incompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment when the treatment works has several different implementation schedules or is planning several improvements, submit separate response puestion B.5 for each. (If none, go to question B.6.)	Orks. II
	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.	
	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.  YesNo	

FACILITY NAME AND PER							roved 1/14/99 nber 2040-0086					
BAD KNUER WAS	IFE LUATER	Treatme	ar Plant									
c If the answer to E	3.5.b is "Yes," brief	ly describe, incli	uding new maxim	rum daily inflow	rate (if applica	ble).	23353(1117)					
		,				•						
***************************************	······································					A-100-0-0-0						
applicable. For it	d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.											
	•	Schedule	Ad	ctual Completion	·	ii.						
Implementation S	Stage	MM / DD /	YYYY M	M / DD / YYYY								
– Begin construc	ะเบ๋อก			1 1								
– End construction	on											
<ul> <li>Begin discharg</li> </ul>	e											
– Attain operation												
- Attain operation	iai ievei		<del>_</del>	_''								
e. Have appropriate	permits/clearance	es concerning ot	her Federal/State	e requirements b	een obtained?	'Yes	_No					
Describe briefly:					•	<del>-</del>						
					<del></del>							
B.6. EFFLUENT TESTING	DATA (GREATER	THAN O.1 MG	D ONLY).									
Applicants that dischatesting required by the sewer overflows in the methods. In addition standard methods for pollutant scans and n	e permitting author is section. All infor , this data must co r analytes not addre	rity <u>for each outl</u> rmation reported mply with QA/Q essed by 40 CF	all through which I must be based C requirements o R Part 136. At a	effluent is dischon data collected of 40 CFR Part 1	narged. Do no d through anal 36 and other a	t include information o ysis conducted using appropriate QA/QC re	on combined 40 CFR Part 136 quirements for					
Outfall Number:	61 Applie	able										
POLLUTANT	MAXIMU		I AVERAG	E DAILY DISCH	MARGE		- Marie Alexandra (Company)					
	DISCH	the second second second second second				digginal company	22524540					
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL					
ENGRE OF ENGINEERS STREET	A Charles Charles				Dattiples	WIE 11 TOD	3200-695, 05550					
CONVENTIONAL AND NO	NCONVENTIONAL	. COMPOUNDS	i.									
AMMONIA (as N)												
CHLORINE (TOTAL RESIDUAL, TRC)							-					
DISSOLVED OXYGEŅ					· · · · · · · · · · · · · · · · · · ·							
TOTAL KJELDAHL					[							
NITROGEN (TKN)				•								
NITRATE PLUS NITRITE NITROGEN												
OIL and GREASE	1											
PHOSPHORUS (Total)		<u>.</u>	. `									
TOTAL DISSOLVED		<u> </u>										
SOLIDS (TDS)												

END OF PART B.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

OTHER

FACILITY NAME AND PERMIT NUMBER: WIT-0036587-2 Form Approved 1/14/99 OMB Number 2040-0086 PINEL DASTE WATER TREAT MENT BASIC APPLICATION INFORMATION PART C. CERTIFICATION All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted. Indicate which parts of Form 2A you have completed and are submitting: Basic Application Information packet Supplemental Application Information packet: Part D (Expanded Effluent Testing Data) Part E (Toxicity Testing: Biomonitoring Data) Part F (Industrial User Discharges and RCRA/CERCLA Wastes) Part G (Combined Sewer Systems) ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Name and official title Signature Telephone numbè

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the

SEND COMPLETED FORMS TO:

treatment works or identify appropriate permitting requirements.

Date signed

#### SUPPLEMENTAL APPLICATION INFORMATION

#### PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: (Complete once for each outfall discharging effluent to waters of the United States.)								ed States.)			
POLLUTANT	1	JAXIMU	JM DAIL HARGE	Y	A۱	VERAG	E DAILY	DISCH	ARGE	Ariayat Airibata	
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MOL
METALS (TOTAL RECOVERABLE), C	YANIDE,	PHENO	LS, AND	ARDNE	SS.		· · · · · · · · · · · · · · · · · · ·	1			
ANTIMONY				,							
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM .											
COPPER											
LEAD									Ē		
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO <sub>3</sub> )											
Use this space (or a separate sheet) to	provide int	formation	on other	metals re	quested by	y the perr	nit writer.		·		
				ŀ							

FACILITY NAME AND PERMIT NUMBER: WI 0036587 - 2

Outfall number: (Complete once for each outfall discharging effluent to waters of the United States.)											
POLLUTANT	100 N	MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE									
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.			inger Million	Section Section 1	essentials.				Samples		
				1							
ACROLEIN											
ACRYLONITRILE								·			
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER	,										
CHLOROFORM										·	
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											, , , , , , , , , , , , , , , , , , , ,
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE										·	-
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE							•				
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											·
1,1,2,2-TETRACHLORO-ETHANE								: .			
TETRACHLORO-ETHYLENE											1
TOLUENE									·		

BAD RIVER DASTE WATER Treatment Plant

Outfall number:	(Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT	N		M DAIL'		- AV	/ERAGE	DAILY	DISCH	ARGE:	3660 1576	
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											
VINYL CHLORIDE											
Use this space (or a separate sheet) to	provide inf	ormation	on other	volatile or	ganic com	pounds i	equested	by the p	ermit writer.		
ACID-EXTRACTABLE COMPOUNDS	1	-	<u>.                                    </u>	1	1	<i>!</i>	<u> </u>	1	<u>!</u>	<u> </u>	
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL	,								`		
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide inf	ormation	on other	acid-extra	ctable con	npounds	requested	i by the p	ermit writer,		
											-
BASE-NEUTRAL COMPOUNDS.	<u></u>		<u> </u>	L	1		<u> </u>	<u> </u>			
ACENAPHTHENE				-			-				
ACENAPHTHYLENE											
ANTHRACENE											-
BENZIDINE							,				
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

BAO RUBE INDSTE WATER TREATMENT Plant

Outfall number:	(Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IAXIMU DISCH	M DAIL'		A۷	'ERAGE	DAILY	DISCH	ARGE		
	Conc.				Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	MU MDL
3,4 BENZO-FLUORANTHENE										,	
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE		i			-						V
BIS (2-CHLOROETHOXY) METHANE			·								
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											-
BIS (2-ETHYLHEXYL) PHTHALATE											,
4-BROMOPHENYL PHENYL ETHER								:			
BUTYL BENZYL PHTHALATE	,··										
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE								·			
DI-N-OCTYL PHTHALATE							·				
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE										·	
1,3-DICHLOROBENZENE		,		-							
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE			-								
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											

BAD RIOFF WASTE WATE TENDENT Plant

Outfall number:	(Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT			M DAIL	Υ	A.	/ERAGE	DAILY	DISCH	ARGE		
			Mass	Units	Conc.	Units	Mass	Units	Number	ANALYTICAL	ML/ MDL
					The C				of	METHOD	
FLUORANTHENE									Samples		
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE									,		
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE			-								
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE			·								
Use this space (or a separate sheet) to	provide in:	formation	on other	base-neu	tral compo	ounds req	uested by	the perr	nit writer.		
Use this space (or a separate sheet) to	provide in	formation	on other	pollutants	(e.g., pes	ticides) r	equested	by the pe	rmit writer.		

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

### SUPPLEMENTAL APPLICATION INFORMATION

#### PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do no complete.		the Application Overview for direction	ns on which other sections of the form to									
E.1. Required Tests.												
Indicate the number of whole e	ffluent toxicity tests conducte	d in the past four and one-half year	S.									
chronicacute												
E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.												
	Test number:	Test number:	Test number:									
a. Test information.												
Test species & test method number												
Age at initiation of test												
Outfall number												
Dates sample collected												
Date test started												
Duration ·												
b. Give toxicity test methods follow	red.											
Manual title												
Edition number and year of publication												
Page number(s)												
c. Give the sample collection meth	od(s) used. For multiple gra	b samples, indicate the number of g	grab samples used.									
24-Hour composite												
Grab												
d. Indicate where the sample was	taken in relation to disinfection	on. (Check all that apply for each)										
Before disinfection		-										
After disinfection												
After dechlorination												

FACILITY NAME AND PERMIT NUMBER: W.J. 6036587-2

EAP RUET WASTE WATER Treet ment Plant

From Approved 1/14/99
OMB Number 2040-0086

	2 32/93		
	Test number:	Test number:	Test number:
e. Describe the point in the treatme	ent process at which the sample was	collected.	
Sample was collected:			
f. For each test, include whether the	e test was intended to assess chron	ic toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performe	ed.		
Static			
Static-renewal ·			
Flow-through			
h. Source of dilution water. If labor	ratory water, specify type; if receiving	g water, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt wat	er, specify "natural" or type of artifici	al sea salts or brine used.	
Fresh water			
Salt water			_
j. Give the percentage effluent use	d for all concentrations in the test se	ries.	
	·		
k. Parameters measured during the	e test. (State whether parameter me	ets test method specifications)	
рH			
Salinity			·
Temperature			
Ammonia	·		
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC <sub>50</sub>			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME AND PERMIT NUMBER: WT - 8036587 - Z Form Approved 1/14/99 OMB Number 2040-0086 BAD RIVER WASTE WATER Treatment Plant Chronic: NOEC % % IC<sub>25</sub> % % % Control percent survival % % % Other (describe) m. Quality Control/Quality Assurance. Is reference toxicant data available? Was reference toxicant test within acceptable bounds? What date was reference toxicant test run (MM/DD/YYYY)? Other (describe) E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? \_Yes\_\_\_No If yes, describe: E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results. Date submitted: (MM/DD/YYYY) Summary of results: (see instructions) END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

FACILITY NAME AND PERMIT NUMBER:	UI-0036587-2
RAD RIDER WASTE WATER	Transport Plant

## SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES
All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F.
GENERAL INFORMATION:
F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
YesNo
F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.
a. Number of non-categorical SIUs.
b. Number of CIUs.
SIGNIFICANT INDUSTRIAL USER INFORMATION:
Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.
F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
Name:
Mailing Address:
F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5. Principal Product(s) and Raw Material(s): Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
Principal product(s):
Raw material(s):
F.6. Flow Rate.
<ul> <li>a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.</li> </ul>
gpd (continuous orintermittent)
<ul> <li>b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.</li> <li> gpd (continuous or intermittent)</li> </ul>
F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:
a. Local limitsYesNo
b. Categorical pretreatment standardsYesNo
If subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME AND PERMIT NUMBER: UL- 0036587-2 Form Approved 1/14/99 OMB Number 2040-0086 BAD RIVER WASTEWATER Treatment Plant F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? Yes\_\_\_No If yes, describe each episode. RCRA HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDICATED PIPELINE: F.9. RCRA Waste. Does the treatment works receive or has it in the past three years received RCRA hazardous waste by truck, rail, or dedicated \_\_\_\_Yes \_\_\_No (go to F.12.) F.10. Waste Transport. Method by which RCRA waste is received (check all that apply): \_Truck Rail \_\_\_\_\_Dedicated Pipe F.11. Waste Description. Give EPA hazardous waste number and amount (volume or mass, specify units). EPA Hazardous Waste Number <u>Amount</u> CERCLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CORRECTIVE ACTION WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTEWATER: F.12. Remediation Waste. Does the treatment works currently (or has it been notified that it will) receive waste from remedial activities? Yes (complete F.13 through F.15.) \_\_No Provide a list of sites and the requested information (F.13 - F.15.) for each current and future site. F.13. Waste Origin. Describe the site and type of facility at which the CERCLA/RCRA/or other remedial waste originates (or is expected to originate in the next five years). F.14. Pollutants. List the hazardous constituents that are received (or are expected to be received). Include data on volume and concentration, if known. (Attach additional sheets if necessary).

Continuous Intermittent If intermittent

\_\_\_Continuous \_\_\_\_Intermittent If intermittent, describe discharge schedule.

END OF PART F.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

F.15. Waste Treatment.

Form Approved 1/14/99 OMB Number 2040-0086

### SUPPLEMENTAL APPLICATION INFORMATION

#### PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
  - a. All CSO discharge points.
  - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
  - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2.** System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
  - a. Locations of major sewer trunk lines, both combined and separate sanitary.
  - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
  - c. Locations of in-line and off-line storage structures.
  - d. Locations of flow-regulating devices.
  - e. Locations of pump stations.

CSO O	JTFALLS:			
Complet	e questions G.3 throug	h G.6 once for each CSO discharge point.		
G.3. Des	cription of Outfall.			
		•		
a.	Outfail number			
b.	Location			
		(City or town, if applicable)	(Zip Code)	
		(County)	(State)	
		(Latitude)	(Longitude)	
		(Lautube)	(Eorigidae)	•
c.	Distance from shore (if	applicable)	ft.	
d.	Depth below surface (if	applicable)	ft.	
e.	Which of the following	were monitored during the last year for this CS	0?	
	Rainfall	CSO pollutant concentrations	CSO frequency	•
	CSO flow volume	Receiving water quality		
f.	How many storm event	s were monitored during the last year?		
G.4. CS	D Events.			
a.	Give the number of CS	O events in the last year.		
	events (	_ actual or approx.)	#1 •	
b.	Give the average durat	on per CSO event.		
	hours (	actual or approx.)		

FACILITY NAME AND PERMIT NUMBER: WI - 0036587-Z BAD RWET WASTE WATER TREATMENT PLANT

Form Approved 1/14/99 OMB Number 2040-0086

	million gallons (actual orapprox.) minimum rainfall that caused a CSO event in the last year.	
	minimum rainfall that caused a CSO event in the last year	
d. Give the	Annument takkan and babbba a bob bronk in alle last year.	
<del> </del>	inches of rainfall	
G.5. Description of	of Receiving Waters.	
a. Name of	receiving water:	
b. Name of	watershed/river/stream system:	
United S	tates Soil Conservation Service 14-digit watershed code (if known):	
c. Name of	State Management/River Basin:	
United S	states Geological Survey 8-digit hydrologic cataloging unit code (if known):	
G.6. CSO Operation	ons.	
	y known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closing intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable Statlard).	
	ENDOEPARTO	

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

